

Index

A

- Acid-catalyzed carbon aerogels, 192
- Adiabatic approximation, 33
- Aerogels, 25
 - acid-catalyzed carbon, 192
 - CNTs, 187, 192
 - definition, 187
 - evolution, 187, 188
 - functionalization, 192–195
 - graphene, 187
 - Hooke's law, 188
 - metal, 191, 192
 - metal oxide, 189
 - nanoporous metal foams, 190
 - Ohm's law, 188
 - organic and carbon, 189, 190
 - quantum dot, 191
 - semiconducting metal chalcogenide, 190
 - silica gels, 189
 - strong and flexible, 190, 191
- Allotropic form, 253–262
- Analcime, 24
- Angular momentum, 272–274
- Anthracene, 253, 263–265, 267
- Antibonding orbitals, 267
- Armchair GNR–Me end-type interconnect
 - formation, 91
- Atmospheric pressure chemical vapour
 - deposition (APCVD), 222
- Atomic-electron correlation
 - absorption coefficient, 12
 - amorphous semiconductors, 13
 - Bloch theorem, 10
 - chalcogenides, 11–13
 - characteristics, 10
 - crystalline and noncrystalline materials, 11
 - energy gap and the interatomic distance, 12
 - high-pressure compressions, 11
 - nano-faults, 10
 - photoinduced changes, 12
 - relaxation time, 10
 - semi-quantitative model, 11
 - short-range structures, 13
 - statistical approach, 10
 - temperature dependence, 13
 - theoretical models, 12
- Atomic force microscopy (AFM), 21
- Atomic nanostructures
 - broken topology, 19
 - condensed materials, 18, 19
 - concepts of disorder, 19, 20
 - continual disorder, 20
 - magnetic disorder, 18
 - methods, 21, 22
 - nano-, micro- and macrophysical
 - properties, 18
 - nanoporous and nanocomposite
 - materials, 20
 - nanoscale materials, 21
 - production, 22
 - RDCA, 22
 - topological disorder, 20
- Atomic potential functions
 - differential equations, 35
 - electron gas density, 36
 - exchange-correlation correction, 38
 - exchange-correlation potential, 37
 - Fermi hole, 36
 - Hartree approach, 34
 - Hartree method, 37

- Atomic potential functions (*cont.*)
 Hartree–Fock equation, 35–37
 Hartree–Fock–Slater type, 35
 Herman–Skillman potentials, 38, 39
 isolated neutral atoms, 33
 Poisson equation, 37
 pseudopotential, 34
 scattering problems, 34
 Schrödinger equation, 35
 statistical exchange-correlation potential, 37
 total charge density, 35
 wave functions, 34
 Wigner correlation radius, 37
- Auger electron spectroscopy (AES), 21
 Auger emission spectroscopy, 3
- B**
 Ballistic mechanism, 82, 88
 Ballistic conductivity, 322
 Benzene, 253, 263–265, 267
 Bethe lattice, 297, 298
 Bio-chemical nanosensors, 165–167
 Bio-hybrid approach, 26
 Biological nanosensors, 79, 80
 Biomolecular rotary machines, 177
 Biomolecules, 9, 10
 Bio-nanocomposites
 biopolymers, 193
 cellulose, 195
 clay, 197
 CNT, 197
 drug delivery, 198
 electronics, sensor and energy applications, 198
 evolution, 193, 195
 functional, 197
 gene therapy, 198
 medical applications, 198
 nanofillers, 193, 196
 packaging, 197
 tissue engineering, 198
 Bio-nanosensors
 experimental and theoretical calibration, 316–318, 320
 polymer nanoporous model, 315–320
 Bir, Aronov and Pikus mechanism, 304
 Black carbon, 4
 Bogoliubov–Born–Green–Kirkwood–Yvon (BBGKY) approximation, 16
 Bonding orbitals, 267
 Bottom-up approach, 26
 Brookfield TC-502 water bath, 331
 Brunauer–Emmett–Teller (BET) adsorption isotherm, 129–131, 133
 Buckminster C₆₀ fullerene, 4, 256
 Buckyballs, 9
- C**
 Capacitances
 ML GNR–Me interconnects, 108
 SL GNR–Me interconnects, 108
 Carbon
 allotropes, 257
 different structures, 254
 molecular derivatives, 263
 Carbon nanotubes (CNTs), 1, 3, 4, 20, 27, 257, 342, 350, 351, 356, 359, 362, 382
 and aerogels, 187
 atomic and molecular hydrogen, 215
 base-growth mechanism, 216–218
 endothermic process, 215
 energy exchange processes, 215
 exothermic process, 215
 industrial production, 215
 laser ablation, 212–214
 nanocomposites, 197
 PE-CVD advantages, 219
 plasma effect, 219
 tip-growth mechanism, 216, 217
 Catalysed CVD (C-CVD), 219
 Cellulose nanocomposites, 195
 Centre for Biological and Environmental Nanotechnology (CBEN), 342
 Ceramic-matrix nanocomposites (CNC), 9
 Cerium dioxide (CeO₂), 359, 361
 Chabazite, 24
 Chalcogenides, 11–13, 41, 42
 Charged defects
 chalcogenides, 41, 42
 general scheme, 44
 Phillips–Thorpe constraint theory, 42
 photo and radiation-induced changes, 42
 radial densities, electron charge, 43
 spin-paired electrons, 42
 Chemical nanosensors, 79, 80, 163–165, 311
 Chemical vapour deposition (CVD), 4, 224–245
 advantages, 215
 carbon sources, 214
 catalyst material, 214
 CNT growth
 acetylene, 230
 arc discharge, 226, 227

- base-growth model, 232
 - carbon atoms, 243
 - carbonaceous precursor, 229
 - carbon-containing gas, 229
 - catalyst material and concentration, 233
 - catalyst metals, 230
 - cathodes, 225
 - characteristics, 229
 - chiralities, 243–245
 - CNT–Fe–Pt interconnects, 235–240
 - crystal structure, Fe, 226
 - discharge and laser ablation
 - methods, 231
 - effective bonds, 241, 242
 - electromagnetic properties, 224
 - ethylene, 229
 - Fe–Pt alloys, 240, 241
 - Fe–Pt catalysts, 235
 - Fe–Pt nanodrops, 241, 242
 - Fe–Pt nanoparticles, 225
 - iron nanoparticles, 231
 - magnetic catalysts, 225
 - metal nanoparticles, 228, 229, 233
 - nanoelectronics, 224
 - nanomemory device, 224
 - precursors, 233
 - pressure, 234
 - semiconductor and sensor devices, 231
 - Si nanoparticles, 231
 - SWCNTs, 232, 234
 - temperatures, 229, 234
 - tip-growth model, 232
 - crystalline, 215
 - equipment, 214
 - MWCNTs, 214
 - Chemisorption, 121, 125, 129
 - Chirality, 77, 80, 81, 88, 89, 93–96, 106, 110, 111, 310, 312, 320, 325, 330
 - Chronic kidney disease (CKD), 361
 - Classification, labelling and packaging (CLP), 350
 - Clausius–Chaparon equation, 123
 - Clay nanocomposites, 197
 - Clinoptilolite, 24
 - Cluster approach, non-regular material, 59, 60
 - CNTs and graphene, 207–212
 - arc discharge
 - chemical reactivity, 210
 - disadvantages, 210
 - non-aligned pentagon–heptagon pairs, 211, 212
 - side effects, 211
 - Stone–Wales defect, 210, 211
 - temperature, 210
 - defects, 222, 223
 - growth mechanisms, 221
 - Iijima method
 - arc discharge, 207–209
 - purification, 209
 - radial breathing mode, 220
 - Raman vibration modes, 219, 220
 - CNTs–Ni case, 86–88
 - CNTs–polymer nanocomposite, 327
 - CNT structure
 - armchair type, 262
 - chiral type, 262
 - SW-CNT, 261
 - zigzag type, 261
 - Coherent potential approximation (CPA), 2, 52–55, 58, 60, 62, 80
 - Collisional conductivity, 88, 312
 - Consumerism, 338
 - Convergent education, 368
 - Coronene, 254, 263, 265
 - Crystalline potentials
 - exchange-correlation correction, 41
 - liquids, 39
 - superposition principle, 39
 - Cubic crystal lattice, 136
 - Current perpendicular to the plane (CPP)
 - geometry, 292
 - CVD, *see* Chemical vapour deposition (CVD)
 - Cytotoxicity, 277, 278
- D**
- Decomposed fuel, 132
 - Defected nanocarbon system, 4
 - Diamond, 4, 254, 255
 - Diamond lattice
 - cubic structure, 256
 - face-oriented projection, 255
 - isometric projection, 255
 - Diffraction elements, 42
 - Diluted ferromagnets, 294–297
 - N,N-dimethylamine benzyldene indan-1,3-dione (DMABI), 153–156
 - Drude model, 322
 - Drug delivery, 198
 - Dyakonov–Perel mechanism, 304
- E**
- Economic human, 337
 - Effective bonds model, 88–90, 96, 100, 106, 110
 - Effective media approximation (EMA), 2, 51–54, 80, 85

- Electrochemical nanotransducers
 - electrical signals, 182, 183
 - MIT, 185
 - nanoelectrodes, 183, 184
 - nanoparticles, 184
- Electron scattering, general type potential, 60–62
- Electronic density of states (EDOS), 80
- Electronic nanosystems, 28
- Electronic structure
 - non-regular condensed system
 - average T-matrix approximation, 52
 - band calculation of crystals, 53
 - calculation methods, 53, 54
 - CPA, 53
 - Green's functions, 51–53
 - MT-approximation, 54, 55
 - single-site approximation, 52
 - virtual crystal approximation, 52, 53
 - and total energy
 - atomic structure, 47
 - cohesive energy, 44
 - electron charge density, 44, 46, 47
 - electron gas, 45
 - exchange-correlation potential, 46
 - fundamental characteristic, 44
 - ground states of atoms, 47
 - interstitial space, 48
 - kinetic energy, 45
 - local and total phase transitions, 44
 - local density approximation, 45
 - MT-approximation, 48
 - nanoclusters, 47
 - one-electron equations, 45
 - self-consistent calculations, 44
 - statistical approximation, 46
- Electronic subsystem
 - carbon, 253–262
 - catalysis and toxicity, 276–278
 - formation of, 263–265
 - graphene, 265–267
 - mechanical and thermal properties,
 - graphene, 279, 280
 - nanocarbon systems, 280–282
 - nanotubes, 268–272
 - semiconductor, 274, 275
 - and spin-dependent properties, 272–274
- Elliott–Yafet mechanism, 304
- Engineered nanoparticles (ENPs), 343, 344, 351
- Epoxy resins, 310, 320, 324, 325, 329
- Erionite, 24
- European Food Safety Authority (EFSA), 362
- Exchange-correlation, 33, 36–39, 41, 45–47
- F**
 - Federal Food, Drug, and Cosmetic Act (FFDCA), 350
 - Fe–Pt alloys, 240, 241
 - Fe–Pt catalysts, 235
 - Fe–Pt nanoparticle, 290–304
 - ferromagnetic, 305
 - iron catalyst nanoparticle, 287
 - magnetic disorder (*see* Magnetic disorder)
 - magnetic memory, 287, 288
 - magnetoresistance nanodevices (*see* Magnetoresistance nanodevices)
 - spin transport, 287–290
 - Fermi electron wave, 95
 - Fermi hole, 36
 - Fermi–Dirac distribution function, 311
 - Ferroelectric nanodevices, 176
 - FET-type devices, 322, 331
 - FET-type nanosensors, 311
 - Field-effect transistors (FETs), 78, 149, 161, 162, 165, 166
 - Flash memory nanodevices, 175
 - Fluorescence, 181
 - Food packaging, 197
 - Freundlich adsorption isotherm, 128, 129
 - Fullerene C₆₀, Pentagon, 4, 258
 - Fullerenes, 8, 9, 13, 20, 256
- G**
 - Gas separation, 25
 - Gaspar potential, 37
 - Gene therapy, 198, 199
 - Geometry, 310, 315, 316, 320, 325
 - Giant magnetoresistance (GMR), 291–293, 305
 - Gibbs adsorption isotherms, 126–131
 - Gibbs dividing surface (GDS), 118
 - Gibbs free energy, 126
 - Gibbs model, 116
 - Gibbs vs. Guggenheim interface, 116
 - Gibbs–Duhem equation, 119
 - Global citizenship competence (GCC), 375–378
 - Glucose oxidase (GOx), 309, 315
 - GNR–Me side-type interconnect, 91
 - Graphene, 256, 266
 - fundamental properties, 279
 - nanofillers, 280
 - Graphene–nanoflakes (GNFs), 1, 77
 - Graphene–nanoribbons (GNRs), 1, 77–80, 85, 111, 324
 - Graphene-based materials, 282
 - Graphite, 4, 254, 256
 - Guggenheim model, 116

H

- Halogens, 42
- Hamilton operator, 133
- HAMR, *see* Heat-assisted magnetic recording (HAMR)
- Hartree approach, 34
- Hartree–Fock equation, 35–37
- Hartree–Fock–Slater (HFS) method, 35, 37, 45
- Heat-assisted magnetic recording (HAMR), 186
- Heisenberg model, 288, 289, 294
- Heulandite, 24
- Highest occupied molecular orbital (HOMO), 134
- High-resolution transmission electron microscopy (HRTEM), 21
- Holography, 42
- Hopping conductivity, 310, 323, 325, 327, 328, 331
- Humanosciences, 340, 368, 371–373, 375
- Hydrodynamical conductivity, 322
- Hydrogen adsorption
 - advantages, 132
 - CNT, 132
 - decomposition, 132
 - metal hydrides, 132
 - metal surface, 133
 - microporous, 133
 - molecular hydrogen, 132
 - physical storage, 132
 - solid-state materials, 132
 - storage, 132
- Hydrogen spillover, 282
- Hydrogen storage, 281
- Hydrolysed fuel, 132
- Hyperfine interaction mechanism, 304

I

- Iijima method, 3
- Indan-1,3-dione pyridine betaine (IPB), 157, 158
- Integral optics, 42
- Interatomic interaction potentials and force calculations
 - dynamic properties of solids, 49
 - electron-ion system, 49
 - general rules, potential modelling, 49
 - Schrödinger equation, 49
- Ion separation, 25
- Ising model, 288, 289

K

- Kohn–Sham (KS) procedure, 49
- Kondo temperature, 291
- Korringa–Kohn–Rostoker (KKR) method, 54
- Kubo–Greenwood formula, 85, 296, 310, 312

L

- Landauer–Büttiker formalism, 322
- Langmuir adsorption isotherm, 121, 129, 130
- Laser ablation method (LAM), 3, 212–214
- Laser microprobe analysis (LMA), 21
- Laumontite, 24
- Le Chatelier’s principle, 125
- Light-emitting diodes (LED), 256
- Light-induced actuating nanotransducers (LIAN), 181
- Linear augmented cylindrical wave (LACW), 312
- Linear combination of the atomic orbital (LCAO), 134
- Liposomes, 9
- Liquid metal model, 54–59, 86–88
- Local density approximation (LDA), 82
- Long-range order (LRO), 14
- Lowest unoccupied molecular orbital (LUMO), 134

M

- M66 merocyanine compound, 277, 278
- Magnetic disorder
 - Bethe lattice, 297, 298
 - diluted ferromagnets, 294–297
 - Fe–Pt nanodrops, 294–304
 - spin precession, 303, 304
 - spin relaxation, 304
 - spin waves, 298–301, 303
- Magnetic force microscope (MFM), 21
- Magnetomotive nanotransducers, 185
- Magneto-plasmonic nanoantennas, 186
- Magnetoresistance, 4
- Matissien rule, 82
- Mechanical nanotransducers, 182, 183
- Medium-range order (MRO), 14
- Memory nanodevices
 - bistable system, 168
 - characteristics, 167
 - ferroelectric, 176
 - flash memory, 175
 - macro-realization, 168

- Memory nanodevices (*cont.*)
 memristor, 175, 176
 molecular based, 169–172
 NEM switch, 173, 174
 phase change, 172, 173
 potential energy, 168
 sandwich-type structure, 169
 Schmitt trigger, 168
 spintronic, 176
 Memristor-type nanodevice, 175, 176
 Mesolite, 24
 Mesoporous carbon nanostructure, 281
 Metal aerogels, 191, 192
 Metal matrix nanocomposites (MNC), 9, 27
 Metal oxide aerogels, 189
 Metal particles (MP), 142
 Metallic CNT, 259, 260, 268, 270, 272
 Metallic nanoshell, 144
 Method of localized MT-orbitals (LMTO), 54
 Magnetoresistance nanodevices
 spin valve, 290–292
 spintronic device, 292, 293
 Micelles, 9
 Molecular based nanodevices, 169
 Molecular electronics, 28
 Molecular imprinting technique (MIT), 185
 Molecular motors, 177, 178
 Molecular system, 133
 Muffin-tin approximation (MTA), 82
 Multiple scattering theory (MST), 2, 78, 83, 85
 Multi-walled carbon nanotube (MWCNT),
 165, 257, 262
 MWCNT–Me junction, 96
- N**
 Nanoaerogels, 9
 Nanoaerosols, 10
 Nano-bio-info-cogno-socio- and
 humanosciences and technologies
 (NBICSH), 371–377, 379
 Nanocarbon clusters, 326
 Nanocarbon composites resistances
 CNT configurations, 329
 CNT inclusions, 330
 GNR configurations, 329
 Nanocarbon macromolecules, 326
 Nanocarbon systems, 7
 Nanocarbon-based nanointerconnects
 and metallic catalytic substrate, 77
 biological nanosensors, 80
 chemical nanosensors, 80
 CNT-/GNR-based FET, 79
 CNT–Me and GNR–Me junctions,
 88–91, 111
 CNT–Me interconnect resistances, 78, 96,
 97, 100–111
 CNT–Ni case, 86–88
 disadvantages, microtechnology, 77
 electrical resistance, 77
 FET, 78, 80
 inter-shell interaction, MWCNTs, 111
 Landauer relationship, 110
 nanosensor devices, 111
 non-regularities, 78–81
 physical nanosensors, 80
 scattering processes, 80–85
 SWCNT and SL and ML GNR simulations,
 89–96
 Nano-CareTM fabrics, 348
 Nanochalcogenides
 atomic structure, 69
 chalcogenides, 69, 71–74
 cluster model, 69
 structural configuration, 69
 Nanochallenges, 378–389
 Nanoclusters, 8, 9, 11, 22
 Nanocomposites, 2, 26, 27
 Nanoconsumers, 5
 Nanocrystalline materials, 9
 Nanocrystals, 8, 9, 21
 Nanodevices, 3, 7, 8, 10, 26, 28
 Nanodispersions, 9
 Nanoeducation, 4, 367, 371, 378–389
 Nanoelectrode techniques, 183, 184
 Nano-electromechanical (NEM) switching
 devices, 173, 174
 Nanoelectromechanics, 28
 Nanoelectronics, 28
 Nanoemulsions, 9
 Nano-FET-type devices, 310
 Nanofoams, 187
 Nanointerfaces, 10
 Nanomagnetism, 4
 Nanomanagement, 4, 378–389
 Nanomechanics, 28
 Nanomedicine, 344, 351, 375, 380
 Nanoobjects, 7, 8, 12, 13
 Nanooptics, 28
 Nanooptoelectronics, 28
 Nanoparticle approach, 142
 Nanoparticle techniques, 184
 Nanoparticles, food production chain, 349
 Nanophotonics, 28
 NanOpinion, 362
 Nanoporous materials, 2, 9, 23–25

- Nanoporous metal foams, 190
- Nanopowders, 9
- Nanorisk, 4
- Nanoscience
 - in food industry, 346
 - and nanotechnology, 339–343, 373, 380
- Nano-selenium
 - electronic structure, 68–69
 - environment, 67, 68
 - health effects, 68
 - selenium (Se) applications, 67
- Nanosensorics, 28
- Nanosensors (NS), 80
 - classification, 151, 152
 - cubic and spherical models, 151
 - description, 150
 - micro- and nanotechnologies, 152
 - nanocrystalline and nanostructured, 152
 - nanoparticles, 150
 - photons, 150
 - recognition mechanism, 152
 - sensitivity, 150
 - surface/volume ratio, 151
 - types, 151
- Nanosensor systems, 315–324
 - bio-nanosensors (*see* Bio-nanosensors)
 - carbon-based nanocomposite sensors, 327–331
 - CNT- and GNR-based nanocomposites, 324–328
 - ecological monitoring, 309
 - FET-type devices, 309
 - ion track-based glucose sensors, 331
 - nanocomposite material, 310
 - physical and chemical, 309–314
 - polymer nanoporous structures, 309
 - prototypes of, 331
 - physical nanosensors (*see* Real-time PNC-based physical nanosensors)
 - tool of, 310–314
- Nanoshell, 144
- Nanosilicon
 - applications, 63, 64
 - cluster models, 64
 - EDOS curves, 64, 65
 - electronic structure, 64–66
 - nanopowders, 62
 - plasma-chemical synthesis, 62
- Nanotechnology
 - benefits and risks of, 357–363
 - consumer products, 343–357
 - double-edged sword, 391
 - exploitation of, 391
 - global citizenship competence, 376–378
 - health and safety issues, 390
 - human health and environment, 389
 - humanities with technosciences, 390, 391
 - in medicine, 391
 - individual–society relationship, 390
 - knowledge management, 366–371
 - nanochallenges, 378–389
 - nanoeducation, 383–385
 - nanomanagement, 380–383
 - and nanoscience, 339–343
 - nanothinking, 385, 386
 - NBICSH society, 371–375
 - pTA, 387–389
 - rational consumerism and consumer behaviour, 337–339
 - scientific consumption, 363–366
 - unusual nanostructures, 389
- Nanotechnology Consumer Product Inventory, 344
- Nanothinking, 4, 378–389
- Nanotracks, 4, 309, 321
- Nanotransducers, 3, 182–185
 - description, 178, 179
 - electrochemical (*see* Electrochemical nanotransducers)
 - human brain, 178, 179
 - magnetic, 185, 186
 - mechanical, 182, 183
 - nanosensing techniques, 180
 - optical, 180–182
- Nanotubes, 9, 10, 12, 13, 20
- Nanowire transducers, 185
- Naphthalene, 253
- Near-field scanning optical microscopy (NFSOM), 21
- Nearly free electron approximation (NFEA), 51
- Node problem, 295
- Non-regular materials, 147–149
 - atomic and electronic structure, 147
 - CNT-based FET and GNR-based FET nanodevices, 149
 - electron and phonon factors, 148
 - general scheme of modelling, 147
- Non-regular nanosystems, 7
 - atomic structures, 2
 - carbon-based macromolecule, 1
 - characterization, 1
 - CNTs and graphene growth, 3
 - electronic structure, 2
 - graphene, fullerenes and carbon nanotubes, 4
 - macro-, meso-, micro- and nanoapproaches, 2
 - nanoagents, 2
 - nanodevices, 3
 - nanoeducation and nanothinking, 4

Non-regular nanosystems (*cont.*)
 nanomaterials, 13
 nanophysics, 2
 nanoproducts, 5
 nanosensor systems simulations, 4
 and regularity, 1
 spintronics and nanomemory systems, 4
 technological interfaces, 1

O
 Optical nanotransducers, 180–182
 Organic aerogels, 189, 190
 Organic–nonorganic interfaces, 145

P
 Participatory technology assessment (pTA), 378–389
 Percolation threshold, 294, 295, 297, 298
 Perfect order (PO)
 amorphous materials, 15
 correlation function, 15
 entropy evaluation, 18
 mass densities, 17
 over-superposition, 16
 pair correlation function, 16
 pair distribution function, 17
 particle distribution functions, 16
 temperatures, 15
 Phase change nanodevices, 172, 173
 Photoacoustic spectroscopy (PA), 21
 Photoactivation applications, 181
 Photoinduced transformation, 73
 Photonic crystals, 9, 42
 Photoresist, 42
 Physical nanosensors, 79, 80, 320, 322
 carbazole and fluorene derivatives, 158–161
 CNTs and GNRs, 161, 163
 DMABI, 153–156
 electromagnetic radiation, 153
 FET, 161
 IPB, 157, 158
 low-cost mass production, 153
 near IR radiation, 153
 Physisorption, 121, 129, 131
 Plasma-enhanced CVD (PE-CVD), 219
 Pnictogens, 42
 PO, *see* Perfect order (PO)
 Polymer ion track-based bio-nanosensors, 167
 Polymer nanocomposites (PNC), 9, 193
 Polymer-matrix, 27

Porous 2D graphene membranes, 282
 Positional disorder, 20
 Pristine 2D graphene membranes, 282
 Pseudopotential, 34, 59

Q

Quantitative disorder, 20
 Quantum dot aerogels, 191
 Quantum dots, 342, 343, 352
 Quasi-crystalline approximation (QCA), 54, 55

R

Radial distribution curves of atoms (RDCA), 22
 Raman microspectrometry, 219
 Raman scattering (RS), 3
 Raman spectroscopy, 219
 Real-time PNC-based physical nanosensors
 conductivity mechanisms, 322–324
 methods and models, 320–321
 Registration, Evaluation, Authorization
 and Restriction of Chemicals
 (REACH), 350
 Regular nanosystems, 1, 7
 Resistances
 ML GNR–Me interconnects, 106, 107
 MWCNT–Me interconnects, 105
 SL GNR–Me interconnects, 107
 Rigidity coefficient of spin waves, 299

S

Scanning electron microscopy (SEM), 21
 Scanning probe microscopy (SPM), 21
 Scanning tunneling microscopy (STM), 21
 Schrödinger equation, 33, 35, 49, 55, 56, 62, 134–136, 138
 Scolecite, 24
 Secondary ion mass spectrometry (SIMS), 21
 Self-assembled monolayers on mesoporous supports (SAMMSTM), 356
 Self-consistent quasi-crystalline approximation (SQCA), 54
 Self-consistent single-site approximation (SSSA), 54, 55
 Semiconducting metal chalcogenide aerogels, 190
 Semiconductor CNT, 261, 270
 Shockley states, 139
 Short-range order (SRO), 14
 Side-type contact, 88, 106, 109
 Silica gels, 189

- Silicon dioxide (SiO₂), 348, 350, 359, 360
Silver nanoparticles (Ag-NPs), 348, 354, 355, 361, 362
Single-cell gel electrophoresis assay (SCGE), 359
Single wall CNT (SWCNT), 89–96, 164–166, 257
Site problem, 295
Spin detection, 288
Spin injection, 288, 289, 300, 303
Spin precession, 303, 304
Spin relaxation, 290, 302–305
Spin transport, 287, 288, 290, 293, 300, 303
Spin-valve, 287, 290, 292, 293, 299–303, 305
Spintronic nanodevices, 176
Spintronics, 28, 290, 292, 293
Stilbite, 24
Stone–Thrower–Wales (STW) defects, 279
Supermolecules, 9
Superposition approximation, 16
Surface control of nanosurfaces, 21
Surface nanointeractions, 7
Surface nanophysics, 132–133
 adsorption kinetics, 120–126
 electronic structure, 133–139
 Gibbs adsorption isotherms, 126–131
 hydrogen adsorption (*see* Hydrogen adsorption)
 light and nanoparticle, 141–144
 in materials science, 120
 nanoshells, 144, 145
 organic–nonorganic interfaces, 145
 phases, 117
 plasmon resonance, 140, 141
 processes, 116, 117, 124
 silica (Si) surface, 124
 thermodynamics and anisotropy, 115–120
Surface plasmon resonance (SPR), 3, 140, 141, 144, 181
Surface states, 137, 139
Surface tension anisotropy, 3
- T**
Tamm states, 138, 139
- Targeted magnetic nanoparticles, 186
Technosciences, 340, 368, 371–373, 375, 390
Tetragens, 42
Thermoplastic recording, 42
Thorpe disorder, 20
Thorpe model
 amorphous solid, 20
 polymer glass, 20
Tight-binding approximation (TBA), 51
Tissue engineering, 198
Titanium dioxide (TiO₂), 343, 347
Top-down approach, 26
Topological disorder, 20
Tunnelling magnetoresistance (TMR), 291–293, 305
- U**
Urbach’s empirical rule, 12
- V**
van der Waals adsorption, 121
van der Waals diameter, 257
van Hove singularities, 274, 275
Variational principle, 37
- W**
Wigner lattice, 36
Workplace exposure standards (WES), 359
- X**
Xerography, 42
X-ray phase analysis, 21
X-ray structural analysis, 21
X α -approximation, 37
- Z**
Zeolites, 23, 24
Ziman model, 80
Zinc oxide (ZnO), 343